



Marine & Offshore

Certificate number: 74479/A2 MED

File number: ACI 1300/222/001 to 014

Item number: MED/3.18a

USCG Module B number: 164.112 / EC2690

This certificate is not valid when presented without the full attached schedule
composed of 7 sections
www.veristar.com

Notified Body 2690 - MARINE EQUIPMENT DIRECTIVE 2014/90/EU

EC TYPE EXAMINATION CERTIFICATE

as per Module B of Directive 2014/90/EU of the European Parliament and of the Council of 23 July 2014 as transposed in the French Regulations and Commission Implementing Regulation (EU) 2024/1975 of 19 July 2024

This certificate is issued to:

Paroc Group Oy

Energiakuja 3, FI-00181, Helsinki, FINLAND

for the type of product

**SURFACE MATERIALS AND FLOOR COVERINGS WITH LOW FLAME-SPREAD
CHARACTERISTICS: DECORATIVE VENEERS**

AluCoat, AluCoat T, G7 facings

to be applied on non-combustible PAROC Marine wools

Requirements:

Row 1 of 1 of Regulation (EU) 2024/1975:

SOLAS 74 convention as amended, Regulations II-2/3, II-2/5, II-2/6, II-2/9, X/3

IMO Res. MSC.36(63) -(1994 HSC Code)- as amended, 7

IMO Res. MSC.97(73) -(2000 HSC Code)- as amended, 7

IMO Res. MSC.307(88) (2010 FTP Code)

IMO MSC/Circ.1120

This certificate is issued on behalf of the French Maritime Authorities to attest that Bureau Veritas Marine & Offshore did undertake the relevant type-examination procedures for the product identified above which was found to comply with the relevant requirements of the Directive 2014/90/EU of the European Parliament and of the Council of 23 July 2014 as transposed in the French Regulations.

This certificate will expire on: 25 Apr 2028


For Bureau Veritas Marine & Offshore Notified Body 2690,

At BV TURKU (ABO), on 15 May 2025,

Miika KOKKO

This certificate was created electronically and is valid without signature



This certificate does not allow to issue the Declaration of Conformity and to affix the mark of conformity (wheelmark ) to the products corresponding to this type. To this end, the production-control phase module (D, E or F) of Annex II of the Directive is to be complied with and controlled by a written inspection agreement with a notified body.

This certificate remains valid until the date stated above, unless cancelled or revoked, provided the conditions indicated in the subsequent page(s) are complied with and the product remains satisfactory in service. This certificate will not be valid if the applicant makes any changes or modifications to the approved product, which have not been notified to, and agreed in writing with Bureau Veritas Marine & Offshore. Should the specified regulations or standards be amended during the validity of this certificate, the product(s) is/are to be re-approved prior to it/they being placed on board vessels to which the amended regulations or standards apply. Bureau Veritas Marine & Offshore is designated by the French Maritime Authority as a "notified body" under the terms of the French Regulations Division 140 Chapter 140-2. This certificate is issued within the scope of the General Conditions of Bureau Veritas Marine & Offshore available on the internet site www.veristar.com. Any Person not a party to the contract pursuant to which this document is delivered may not assert a claim against Bureau Veritas Marine & Offshore for any liability arising out of errors or omissions which may be contained in said document, or for errors of judgement, fault or negligence committed by personnel of the Society or of its Agents in establishment or issuance of this document, and in connection with any activities for which it may provide.

THE SCHEDULE OF APPROVAL

1. PRODUCT DESCRIPTION:

Designation	Description	Nominal weight	Glue between mineral wool and facing
AluCoat	Glass fibre scrim reinforced aluminium foil with PE layer	60-88.4 g/m ² (+5/-6 g/m ²)	PE layer
AluCoat T	Glass fibre scrim reinforced aluminium foil with PE layer. Longitudinal joints sealed with overlapping facing with double-side adhesive tape (25 mm wide) including carrier and hotmelt adhesive or synthetic rubber adhesive	- Alucoat: 60-88.4 g/m ² (+5/-6 g/m ²) - Adhesive: 70 g/m ² (±20 g/m ² for hotmelt adhesive or ±9 g/m ² for synthetic rubber adhesive) - Carrier: 17 g/m ² (±10 g/m ² for hotmelt adhesive or ±2 g/m ² for synthetic rubber adhesive)	PE layer
G7	White glass fibre cloth with aluminium facing and PE-LD layer	275 g/m ² (±5 g/m ²) including PE-LD layer 30 g/m ²	PE layer

2. DOCUMENTS AND DRAWINGS :

AluCoat	Technical data sheet dated 03/10/2024
AluCoat T	Technical data sheet dated 03/10/2024
G7	Technical data sheet dated 03/10/2024
Gluing options for facings	Technical note dated 03/10/2024

3. TEST REPORTS:

Tests as per IMO 2010 FTP Code, Annex 1, Part 5.

Designation	Test report reference	Date of issue	Laboratory
AluCoat AluCoat T	N° PFB10663A N° PFB10663B N° PFB10663C N° PFB10663D	25/09/2024	DBI, Denmark
G7	N°PFB10396F	03/03/2022	DBI, Denmark

4. APPLICATION / LIMITATION:

4.1 - Approved materials are considered as having low flame spread characteristics (as per IMO 2010 FTP Code Part 5).

4.2 - In application of FTP Code 2010 Annex 2 § 2.2, the products are expected to satisfy the requirement of smoke & toxicity of IMO 2010 FTP Code, Annex 1, Part 2 without further testing.

4.3 - In application of FTP Code 2010 Annex 2 § 2.3, the product is expected to satisfy the requirement of maximum gross calorific value (e.g. 45 MJ/m²) without further testing as per ISO 1716.

4.4 - Alucoat / Alucoat T facings were tested on PAROC Marine Slab 30 (30 kg/m³). Such facings may be applied on any non-combustible material having a density higher or equal to 22.5 kg/m³.

4.5 - G7 facing was tested on PAROC Marine Slab 40 (40 kg/m³). Such facings may be applied on any non-combustible material having a density higher or equal to 30 kg/m³.

5. PRODUCTION SURVEY REQUIREMENTS:

5.1 - This certificate alone does not allow the applicant to issue the Declaration of Conformity and to affix the mark of conformity (wheelmark) to the products corresponding to this type. To this end, the production-control phase module D Production Quality Assurance or module E Product Quality Assurance or module F Product Verification of Annex II of the Directive is to be complied with and controlled by a written inspection agreement with a Notified Body.

5.2 - For information concerning the production phase modules, **PAROC GROUP OY** has declared the following manufacturing sites depending on the concerned product:

Paroc Polska Sp. z o.o.
ul. Gnieznienska 4
62-240 Trzemeszno
POLAND

Paroc AB
Strandvägen 1
533 04 Hällekis
SWEDEN

6. MARKING OF PRODUCT:

6.1 - Reference is made to MED 2014/90/EU chapter 2.

In particular Article 10.3 specifies that the wheelmark shall be followed by the identification number of the Notified Body involved in the production control phase (module D, E or F) and by the year in which the mark is affixed (4 digits or last 2 digits).

6.2 - This equipment is covered by the scope of the "Agreement between the European Community and the United States of America on Mutual Recognition of Certificates of Conformity for Marine Equipment signed February 27th, 2004 and amended by Decision No.1/2023 dated 26 May 2023 according to U.S. Coast Guard approval category indicated on front page of this certificate.

A U.S. Coast Guard approval number will be assigned to the equipment when the production module has been completed and will appear on the production module certificate (module D, E or F) as allowed by the MED.

7. OTHERS:

7.1 - It is **PAROC GROUP OY**'s responsibility to inform shipbuilders or their sub-contractors of the proper methods of fitting, use and general maintenance of the approved equipment and the conditions of this approval.

7.2- This certificate supersedes the EC Type Examination Certificate N° 74479/A1 MED issued on 21/10/2024 by the Society.

***** END OF CERTIFICATE *****