




PAROC®

Företag:	Paroc AB	Detalj nr.:	SE-W-VF-30.2
Datum:	2025-10-30	Typ:	Väggar, ventilerad fasad
Ritad av:	Mikael Olofsson	Information:	Trästomme med PAROC Klimatskiva ZERO
Skala A4:	1:10		

OBS: Principdetalj

Projekt specifika justeringar och ändringar är konsultens ansvar



1	Fasadbeklädnad
2	Vertikal spikläkt 36x98mm c/c 600 och Fasadskruv HECO Topix-plus Therm, trä (XFS 006)
3	PAROC Tenta Klimatskiva ZERO och Isoleringshållare SFS RP50/BS-4,8 trä (XFM 006)
4	Befintlig lufttät vägg

This drawing is owned by Paroc.

Paroc present the information on the drawing for mere indicative purposes. While the information on this drawing concerns a technical application of certain Paroc's products, it is in no event to be considered as technical advice.

Although we believe the information in this drawing to be accurate, Paroc does not make any warranty or guarantee concerning the accuracy or reliability of its content. This drawing is not intended to present the only or necessarily the best method or procedure. This drawing is provided in an "as is" format without warranties of any kind, expressed or implied, including but not limited to warranties of title, non-infringement or implied warranties of merchantability or fitness for a particular purpose.

Users of the provided drawing assume full responsibility for all concept/design decisions made relating to the suitability of use. Users must rely on their own judgment or that of a concept/design professional when determining how to best apply the data provided. Users agree that Paroc is under no obligation to provide additional details, testing or test data on its behalf.